

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : ☐					

Work Order ID 138072

October 22, 2015 4:15:58 PM

138072

Page 2

Item ID: DSI 9578-011

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Mirror Arm Upgrade

Stop ***NS2***

Start Date: 10/22/2015 Start Qty: 1.00

1

Cust Item ID:

Required Date: 11/2/2015 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Packaging	0.00							
130									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP DSI 9578-011 Location: _____								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

DAS
28
9-89

OCT 29 2014

MCS

OCT 29 2015

SJA 0151029

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER : ☐							

October 22, 2015 4:16:11 PM

Parent Item Name: Mirror Arm Upgrade

DSI 9578-011

Required Date: 11/2/2015

Required Qty: 1.00

Comments: IPP REV:A 11.11.14 new issue DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2057		Manufactured	No			110	Each	24.0000	1	1			
D2057									**			DAS 27 9-89	
Plug	DAS 28 9-89			<u>Location</u> GA		<u>Loc Qty</u> 24		<u>Loc Code</u>					
					<u>112928</u>	24							
D4450-1		Manufactured	No			110	Each	0.0000	1	1			
D4450-1									**			DAS 27 9-89	
Arm						B138073						DAS 27 9-89	DAS 27 9-89
	DAS 28 9-89											OCT 29 2015	OCT 29 2015

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS IIN-D119-696 REV. A AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D119-696 REV. 0

REF FAA STC: SR01043SE

REF TC LETTERS OF ACCEPTANCE: C-11-0119/-0120/-0121

REF EASA STC: EASA.IM.R.S.01551

PURPOSE

This service instruction details the D119-696-011/-013 Cargo Mirror Installations at CHG 006 which have been improved with D4450-1/-043 Arm/Arm Assembly. The D4450-1/-043 replaces D3074-1/-3 and feature a more robust and ergonomic design. Customers/operators who wish to upgrade existing D119-696-011/-013 Cargo Mirror Installations at earlier change numbers may procure the DSI-9578-011/-013 Kit from Dart. The revised weight and balance and parts list on page 2 of this service instruction are to be used for D119-696-011/-013 Cargo Mirror Installations at CHG 006.

INSTALLATION

Replacement of D3074-1 arm on D119-696-011 Single Mirror Installation:

1. Remove and discard existing D3074-1 Arm and existing D2057 Plug.
2. Install D4450-1 Arm and replacement D2057 Plug in accordance with Figure 1 of this service instruction.
3. Install D2011-101 Mirror to D4450-1 Arm using D3014-1 Locknut as shown in Figure 1 of this service instruction.

Replacement of D3074-3 Arm on D119-696-013 Dual Mirror Installation:

1. Remove and discard the existing D3074-3 Arm and associated parts/hardware. Note that the D3074-3 Arm also includes 2 X D2052 Brackets, 2 X D2055 Clamps, a D2056 Bellcrank, 2 X D2054 Bushings, and attaching hardware.
2. Install D4450-043 Arm Assembly in accordance with Figure 1 of this service instruction.
3. Install 2 X D2011-101 Mirrors to D4450-043 Arm Assembly using D3014-1 Locknuts as shown in Figure 1 of this service instruction.

MAINTENANCE AND CONTINUED AIRWORTHINESS

Inspection requirements for D4450-1/-043 Arm are identical to D3074-1/-3 Arm they are replacing. Refer to ICA-D119-696.

WEIGHT AND BALANCE

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D119-696-011	2.3 lb	7.0 in	16.1 in-lb	22.0 in	50.6 in-lb
Cargo Mirror Installation (CHG 006)	1.04 kg	0.18 m	0.19 m-kg	0.56 m	0.58 m-kg
D119-696-013	3.2 lb	1.0 in	3.2 in-lb	22.0 in	70.4 in-lb
Cargo Mirror Installation (CHG 006)	1.45 kg	0.03 m	0.04 m-kg	0.56 m	0.81 m-kg

A	NEW ISSUE	MB	11.10.04
REV.		BY	DATE
DESIGN		DART AEROSPACE USA, INC	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		DSI 9578	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		MIRROR ARM UPGRADE	NTS
DATE	11.10.04	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

20151023
5H138072

PARTS LIST

Qty -011	Qty -013	Qty -041	Qty -043	Part Number	Description
X				D119-696-011	SINGLE CARGO MIRROR INSTALLATION
	X			D119-696-013	DUAL CARGO MIRROR INSTALLATION
1		X		D119-696-041	SINGLE CARGO MIRROR ASSEMBLY
	1		X	D119-696-043	DUAL CARGO MIRROR ASSEMBLY
		1	2	D2011-101	MIRROR ASSEMBLY
1	1			D2053	BRACKET
		2	**2	D2054	BUSHING
		2	**2	D2055	CLAMP
		1	**1	D2056	BELL CRANK
		1		D2057	PLUG
1	1			D2067	CONNECTOR
1	1			D2071	CABLE ASSEMBLY
		*1	*2	D3014-1	LOCKNUT
		1	**1	D3072-1	BRACKET
		1	**1	D3072-2	BRACKET
1	1			D3083-1	PLACARD
		1		D4450-1	ARM (WAS D3074-1)
			1	D4450-043	ARM ASSEMBLY (WAS D3074-3)
4	4			AN526-1032R9	SCREW
4	4	6	**6	AN960JD10	WASHER
		*1	*2	AN960JD416L	WASHER
		3	**3	MS21042L3	NUT (or MS21042-3)
2	2			MS21919DG5	CLAMP
4	4			MS27039-1-09	SCREW
		3	**3	MS27039-1-18	SCREW
1	1			MS35489-9	GROMMET
2	2			AKS7-1032-130	INSERT (or ALS7-1032-130 or AKS4-1032-130 or ALS7-1032-130 or AELS-032-130)

* INCLUDED AS PART OF D2011-101 MIRROR ASSEMBLY

** INCLUDED WITH D4450-043 ARM

Qty -011	Qty -013	Part Number	Description
X		DSI-9578-011	MIRROR ARM UPGRADE KIT (SINGLE CARGO MIRROR INSTALLATION)
	X	DSI-9578-013	MIRROR ARM UPGRADE KIT (DUAL CARGO MIRROR INSTALLATION)
	**2	D2054	BUSHING
	**2	D2055	CLAMP
	**1	D2056	BELL CRANK
1		D2057	PLUG
	**1	D3072-1	BRACKET
	**1	D3072-2	BRACKET
1		D4450-1	ARM
	1	D4450-043	ARM ASSEMBLY
	**6	AN960JD10	WASHER
	**3	MS21042L3	NUT (or MS21042-3)
	**3	MS27039-1-18	SCREW

** INCLUDED WITH D4450-043 ARM

DESIGN		DART AEROSPACE USA, INC	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		DSI 9578	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		MIRROR ARM UPGRADE	NTS
DATE	11.10.04	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




FIGURE 1

D119-696-011/-013 SINGLE/DUAL MIRROR INSTALLATION

DESIGN		DART AEROSPACE USA, INC
DRAWN		KENT, WA
CHECKED		
MFG. APPR.		
APPROVED		
DE APPR.		
DATE	11.10.04	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY OTHER PURPOSE THAN THAT FOR WHICH IT WAS SPECIFICALLY ISSUED. (NO REPRODUCTION WITHOUT PERMISSION FROM DART AEROSPACE USA, INC.)		
COPYRIGHT © 2011 BY DART AEROSPACE USA, INC.		
DRAWING NO.	DSI 9578	REV. A
TITLE	MIRROR ARM UPGRADE	SHEET 3 OF 3
SCALE	NTS	